



«ООО БИТ»  
КАРТОН И БУМАГА

197343, г.Санкт-Петербург, ул. Матроса Железняка, д.57, лит.А  
+7 (812) 468-33-33 [bit924@mail.ru](mailto:bit924@mail.ru)

109052, г.Москва, ул.Смирновская, дом 19.  
+7 (495) 789-80-34 [bit968@mail.ru](mailto:bit968@mail.ru)  
<https://bit-karton.ru>

## NormPrint

### Производитель:

Kartonsan, Турция



### Описание:

Normprint – это картон с многослойным покрытием и тонким верхним слоем, который обеспечивает блестящую печатную способность при значительной экономии чернил и высокой степени лакокрасочности. Обратная сторона серая.

### Техническая спецификация

GT1: LUXTRIPLEX CARDBOARD		<i>Luxtriplex is the premium grade with high smoothness &amp; stiffness, consisting of recycled fiber amount around 75-80% Both sides are coated where back side is also white. Luxtriplex grade has excellent printing, box manufacture as well as filling runnability.</i>	
		Taber #15	
Grammage	Caliper	MD Stiffness	CD Stiffness
225	285	5.09	2.8
250	310	7	3.9
280	355	9.6	5.09
300	385	11.5	6.5
350	455	17.8	9.30
400	525	24.7	13.2
450	605	35.79	18
GD2: EXPRINT CARD BOARD		<i>Exprint is the premium grade with high smoothness &amp; stiffness, consisting of recycled fiber amount around 75-80% Both sides are coated where back side is grey. Exprint grade has excellent printing, box manufacture as well as filling runnability.</i>	
		Taber #15	

**GT1: LUXTRIPLEX CARDBOARD**

**Luxtriplex is the premium grade with high smoothness & stiffness, consisting of recycled fiber amount around 75-80% Both sides are coated where back side is also white. Luxtriplex grade has excellent printing, box manufacture as well as filling runnability.**

Grammage	Caliper	MD Stiffness	CD Stiffness
225	285	5.09	2.9
250	325	7.2	4
280	370	10.19	5.3
300	400	12	6.6
350	475	18.7	10.19
400	565	27.1	13.5
450	640	38.4	18.39

**GD3: NORMPRINT CARDBOARD**

*Normprint cardboard has coating at the top layer. Back side is grey. Its produced from 95% recycled paper. Normprint grade has excellent printing, box manufacture as well as filling runnability.*

Grammage	Caliper	MD Stiffness	Taber #15
			CD Stiffness
280	350	8.5	3.8
300	375	11	5
320	405	13.8	5.6
350	450	18	7.2
400	530	25.2	9.6
450	600	35	13.8
500	650	42	16.8
550	730	50	19.39

**NORMPRINT - LINERCARD BOARD**

*Normprint Liner cardboard has coating both of the sides. Back side is grey and produced from 100% recycled paper. Normprint Liner grade has excellent lamination, printing, box manufacture, and filling runnability.*

Grammage	Caliper	SCT (cd)	Burst
180	205	2.6	320
200	235	3	360
225	265	3.2	400

	Luxtriplex	Exprint	Normprint	Normprint - Liner
<b>Brightness</b>	82	82	78	80
<b>Brightness Back Side</b>	69	-	-	-
<b>PPS</b>	2	2	2.5	2

Parameter	Grammage	Caliper	Stiffness	Brightness (Elrepho)	PPS	Burst	SCT - cd
<b>Unit</b>	gr/m <sup>2</sup>	µm	mNm		µm	kPa	kNm
<b>Tolerance</b>	± 3%	± 5%	-15%	-1 -2 (Back Side)	+ 0,5	-20%	-0.3
<b>Testing Method</b>	ISO 536	ISO 534	ISO 2493	ISO 2470	ISO 8791-4	ISO 2759	ISO 9895

---

<https://bit-karton.ru/product/karton/makulturnyj-melovannyj/normprint/>